

SPARKLE RIDES



Hebei Sparkle Rides Technologies Ltd.




COMPANY PROFILE

As a professional supplier for producing kids balance bike, scooters and tricycles, our campus located in Xingtai City, Hebei Province where is one of the main manufacturing bases in China. With experience for over 8 years special for manufacturing, we are now having, 30,000 m² workshop, 150 staffs and producing capacity of 500,000 units per year. our footprint has covered over 10 countries including the USA, Canada, UK, French, German, Italy, and Spain.

Riding by quality control system of ISO9001, all our mass production equivalent with EN71 & ASTM which is CE and CPSC certificate. We also got certified by BSCI. By practicing R&D, we have developed new design and new material of balance bike for not only steel frame bike but also magnesium and nylon frame bikes.

With the principle of working efficiency, we save cost not only for product but also for communication. Start to talk with us while get benefit for your business right away.

CERTIFICATE





YOUR BUSINESS OUR FIRST PRIORITY

CONTINUOUS EXPLORATION AND INNOVATION

Magnesium Balance Bike | 01 - 06

Nylon Balance Bike | 07 - 09

Aluminum Balance Bike | 10 - 16

Steel balance bike | 17 - 21

Mini balance bike | 22 - 23

Scooter | 24

Baby Tricycle | 25 - 30

1210M



-  12" Megnesium Alloy
-  12" Aluminum Alloy
-  Aluminum alloy handle bar +TPR Grip
-  Bearing
-  ECO Friend PU With Cushion Pad
-  Aluminum Alloy
-  Digital Control axis +Carbon steel hub
-  Air Tire wheel

Way of packing	85% SKD	
Carton Size	72*15*42cm	
Weight	G.W.: 4.3kgs	N.W.: 3.4kgs
Loading Quantity	20GP: 620units	40HQ: 1500units
Remark		

Optional Color



1224M



-  12" Megnesium Alloy
-  12" Aluminum Alloy
-  Aluminum alloy hanld bar+TPR Grip
-  Bearing
-  ECO Friend PU With Cushion Pad
-  Aluminum Alloy
-  Sealed-bearing
-  Air Tire wheel

Way of packing	95% SKD	
Carton Size	86*15*48cm	
Weight	G.W.: 4.3kgs	N.W.: 3.4kgs
Loading Quantity	20GP: 450units	40HQ: 1100units
Remark		

Optional Color



1223M



- 12" Megnesium Alloy
- 12" Megnesium Alloy
- Aluminum alloy handl bar+TPR Grip
- Bearing
- ECO Friend PU With Cushion Pad
- Aluminum Alloy
- Sealed-bearing
- Air Tire wheel

Way of packing	95% SKD	
Carton Size	86*15*48cm	
Weight	G.W.: 4.3kgs	N.W.: 3.4kgs
Loading Quantity	20GP: 450units	40HQ: 1100units
Remark		

Optional Color



1410M



- 14" Magnesium Alloy
- 14" Aluminum Alloy
- Aluminum alloy handle bar +TPR Grip
- Steel ball
- ECO Friend PU With Cushion Pad
- Aluminum alloy
- Digital Control axis + Carbon steel hub
- Air Tire wheel

Way of packing	85% SKD	
Carton Size	78*15*45cm	
Weight	G.W.: 4.5kgs	N.W.: 3.6kgs
Loading Quantity	20GP: 530units	40HQ: 1300units
Remark		

Optional Color



1412M



-  14" Magnesium Alloy
-  14" Magnesium Alloy
-  Aluminum alloy handle bar +TPR Grip
-  Steel ball
-  ECO Friend PU With Cushion Pad
-  Aluminum alloy
-  Digital Control axis + Carbon steel hub
-  Air Tire wheel

Way of packing	85% SKD	
Carton Size	78*15*45cm	
Weight	G.W.: 4.5kgs	N.W.: 3.6kgs
Loading Quantity	20GP: 530units	40HQ: 1300units
Remark		

Optional Color



1233M



-  12" Magnesium Alloy
-  12" Magnesium Alloy
-  Aluminum alloy handle bar +TPR Grip
-  Bearing
-  ECO Friend PU With Cushion Pad
-  Aluminum Alloy
-  Digital Control axis +Carbon steel hub
-  Air Tire wheel

Way of packing	85% SKD	
Carton Size	72*15*42cm	
Weight	G.W.: 4.3kgs	N.W.: 3.4kgs
Loading Quantity	20GP: 620units	40HQ: 1500units
Remark		

Optional Color



1231M



-  12" Megnesium Alloy
-  12" Aluminum Alloy
-  Aluminum alloy handle bar +TPR Grip
-  Bearing
-  ECO Friend PU With Cushion Pad
-  Aluminum Alloy
-  Digital Control axis +Carbon steel hub
-  Air Tire wheel

Way of packing	85% SKD	
Carton Size	72*15*42cm	
Weight	G.W.: 4.3kgs	N.W.: 3.4kgs
Loading Quantity	20GP: 620units	40HQ: 1500units
Remark		

Optional Color



HD-608



-  12"/ 14"Megnesium Alloy
-  12" /14"Megnesium Alloy
-  Megnesium Alloy+TPR Grip
-  Bearing
-  ECO Friend PU With Cushion Pad
-  Aluminum Alloy
-  Digital Control axis +Carbon steel hub
-  12"/ 14"Air Tire wheel

Way of packing	50% SKD	
Carton Size	64*17*39cm	
Weight	G.W.: 4.5kgs	N.W.: 3.6kgs
Loading Quantity	20GP: 660 units	40HQ: 1600units
Remark		

Optional Color



1413M



12" Megnesium Alloy



ECO Friend PU With Cushion Pad



12" Megnesium Alloy



Aluminum Alloy



Aluminum alloy handle bar +TPR Grip



Digital Control axis +Carbon steel hub



Bearing



Air Tire wheel



Way of packing	85% SKD	
Carton Size	72*15*42cm	
Weight	G.W.: 4.3kgs	N.W.: 3.4kgs
Loading Quantity	20GP: 620units	40HQ: 1500units
Remark		

1337M



12"/ 14"Megnesium Alloy



24V ; 2.6AH



12" /14"Aluminum Alloy



Li-ion 120W



Aluminum alloy handle bar +TPR Grip



Aluminum alloy + Nylon



10 km/h



Air Tire wheel

Way of packing	85% SKD	
Carton Size	78*18*44cm	
Weight	G.W.: 7.5kgs	N.W.: 6.5kgs
Loading Quantity	20GP: 450 units	40HQ: 1080units
Remark		

Optional Color



HLF-ZS623



-  12" Megnesium Alloy
-  ECO Friend PU With Cushion Pad
-  12" Megnesium Alloy
-  Aluminum Alloy
-  Aluminum alloy handle bar +TPR Grip
-  Digital Control axis +Carbon steel hub
-  Bearing
-  Air Tire wheel

Way of packing	85% SKD	
Carton Size	89*13*54cm	
Weight	G.W.: 4.75kgs	N.W.: 3.45kgs
Loading Quantity	20GP: 464units	40HQ: 1104units
Remark		

Optional Color



1339M



-  12"Megnesium Alloy
-  ECO Friend PU With Cushion Pad
-  12"Megnesium Alloy
-  Aluminum Alloy
-  Aluminum alloy handle bar+TPR Grip
-  Digital Control axis +Carbon steel hub
-  Bearing
-  Air Tire wheel

Way of packing	85% SKD	
Carton Size	72*15*42cm	
Weight	G.W.: 4.2kgs	N.W.: 3.4kgs
Loading Quantity	20GP: 638 units	40HQ: 1519units
Remark		

Optional Color



1218N



Way of packing	75%SKD	
Carton Size	70*16*30cm	
Weight	G.W.: 4.2kgs	N.W.: 3.6kgs
Loading Quantity	20GP: 830units	40HQ: 2000units
Remark		

-  12" Nylon
-  12" Nylon
-  Nylon
-  PP

-  ECO Friend PU With Cushion Pad
-  Nylon
-  Sealed-bearing
-  Air Tire wheel

Optional Color



1203N



Way of packing	95%CKD	
Carton Size	86*15*48cm	
Weight	G.W.: 3.9kgs	N.W.: 3.2kgs
Loading Quantity	20GP: 450units	40HQ: 1100units
Remark		

-  12" Nylon
-  12" Nylon
-  Nylon
-  Bearing

-  ECO Friend PU With Cushion Pad
-  Nylon
-  Aluminum alloy bearing
-  Air Tire wheel

Optional Color



1261N



-  12" Nylon
-  12" Nylon
-  Nylon
-  PP

-  ECO Friend PU With Cushion Pad
-  Nylon
-  Sealed-bearing
-  PU TIRE

Way of packing	95%CKD	
Carton Size	58*16*47cm	
Weight	G.W.: 4.5kgs	N.W.: 3.5kgs
Loading Quantity	20GP: 650units	40HQ: 1500units
Remark		

Optional Color



KL-08



-  12" Nylon
-  12" Nylon
-  Nylon
-  PP

-  ECO Friend PU With Cushion Pad
-  Nylon
-  Sealed-bearing
-  Air Tire wheel

Way of packing	65%SKD	
Carton Size	82*13*42cm	
Weight	G.W.: 4kgs	N.W.: 3.2kgs
Loading Quantity	20GP: 620units	40HQ: 1490units
Remark		

Optional Color



1263N



Way of packing	75% SKD	
Carton Size	70*16*30cm	
Weight	G.W.: 4.2kgs	N.W.: 3.6kgs
Loading Quantity	20GP: 800units	40HQ: 2000units
Remark		

- 12" Nylon
- 12" Nylon
- Nylon
- PP

- ECO Friend PU With Cushion Pad
- Nylon
- Sealed-bearing
- Air tire

Optional Color



HW-12-116N



Way of packing	85%SKD	
Carton Size	75*15*31cm	
Weight	G.W.: 4kgs	N.W.: 3.4kgs
Loading Quantity	20GP: 830units	40HQ: 1977units
Remark		

- 12" Nylon
- 12" Nylon
- Nylon
- PP

- ECO Friend PU With Cushion Pad
- Nylon
- Sealed-bearing
- Air Tire wheel

Optional Color



1201L



Way of packing	65% SKD(fork assembled)	
Carton Size	60*17*38cm	
Weight	G.W.: 3.9kgs	N.W.: 3.2kgs
Loading Quantity	20GP: 720units	40HQ: 1800units
Remark		

-  12" Aluminum Alloy
-  12" Aluminum Alloy
-  Aluminum Alloy Handle Bar
-  carbon steel with steel balls
-  ECO Friend PU With Cushion Pad
-  Aluminum Alloy
-  Digital Control axis + Carbon steel hub
-  Air Tire wheel

Optional Color



1208L



Way of packing	65% SKD(fork assembled)	
Carton Size	60*17*38cm	
Weight	G.W.: 3.9kgs	N.W.: 3.2kgs
Loading Quantity	20GP: 720units	40HQ: 1800units
Remark		

-  12" Aluminum Alloy
-  12" Aluminum Alloy
-  Aluminum alloy handle bar
-  Bearing
-  ECO Friend PU With Cushion Pad
-  Aluminum Alloy
-  Digital Control axis +Carbon steel hub
-  Air Tire wheel

Optional Color



1209L



Way of packing	65% SKD(fork assembled)	
Carton Size	60*17*38cm	
Weight	G.W.: 3.9kgs	N.W.: 3.2kgs
Loading Quantity	20GP: 720units	40HQ: 1800units
Remark		

-  12" Aluminum Alloy
-  12" Aluminum Alloy
-  Aluminum Alloy handle bar
-  Bearing
-  ECO Friend PU With Cushion Pad
-  Aluminum Alloy
-  Digital Control axis +Carbon steel hub
-  Air Tire wheel

Optional Color



1216L



Way of packing	100% CKD	
Carton Size	86*15*48cm	
Weight	G.W.: 4.2kgs	N.W.: 3.4kgs
Loading Quantity	20GP: 450units	40HQ: 1100units
Remark		

-  12" Aluminum Alloy
-  12" Aluminum Alloy
-  Aluminum alloy handle bar+TPR Grip
-  Bearing
-  ECO Friend PU With Cushion Pad
-  Aluminum Alloy
-  Aluminum alloy bearing hub
-  Air Tire wheel

Optional Color



1215L



-  12" Aluminum Alloy
-  12" Aluminum Alloy
-  Aluminum Sportage handle bar +TPR Grip
-  Bearing
-  ECO Friend PU With Cushion Pad
-  Aluminum Alloy
-  Digital Control axis +Carbon steel hub
-  Air Tire wheel

Way of packing	85% SKD(fork assembled)	
Carton Size	72*17*45cm	
Weight	G.W.: 4.2kgs	N.W.: 3.6kgs
Loading Quantity	20GP: 500units	40HQ: 1250units
Remark		

Optional Color



1217L



-  12" Aluminum Alloy
-  12" Aluminum Alloy
-  T type handle bar
-  Bearing
-  ECO Friend PU With Cushion Pad
-  PP
-  Digital Control axis +Sealed bearing
-  EVA Tire

Way of packing	100% CKD	
Carton Size	60*16*30cm	
Weight	G.W.: 2.6kgs	N.W.: 2.1kgs
Loading Quantity	20GP: 1000units	40HQ: 2300units
Remark		

Optional Color



1207L



-  12" Aluminum Alloy
-  ECO Friend PU With Cushion Pad
-  12" Aluminum Alloy
-  Aluminum Alloy
-  Aluminum alloy handle bar +TPR Grip
-  Digital Control axis +Carbon steel hub
-  Bearing
-  Air Tire wheel

Way of packing	65% SKD(fork assembled)	
Carton Size	60*17*38cm	
Weight	G.W.: 3.9kgs	N.W.: 3.2kgs
Loading Quantity	20GP: 720units	40HQ: 1800units
Remark		




1214L



-  12" Aluminum Alloy
-  ECO Friend PU With Cushion Pad
-  12" Aluminum Alloy
-  PP RIM
-  Aluminum alloy handle bar+TPR Grip
-  Digital Control axis + Carbon steel hub
-  Bearing
-  EVA Tire

Way of packing	100% CKD	
Carton Size	60*16*30cm	
Weight	G.W.: 3.5kgs	N.W.: 2.9kgs
Loading Quantity	20GP: 1000units	40HQ: 2300units
Remark		



1231L



Way of packing	Install the front and back wheels	
Carton Size	70*15*30cm	
Weight	G.W.: 2.8kgs	N.W.: 2.2kgs
Loading Quantity	20GP: 900units	40HQ: 2200units
Remark		



12" Aluminum Alloy



12" Aluminum Alloy



Aluminum alloy handle bar+TPR Grip



Bearing



ECO Friend PU With Cushion Pad



PP



Digital Control axis + Carbon steel hub



EVA Tire

Optional Color



1232L



Way of packing	Install the front and back wheels	
Carton Size	70*15*30cm	
Weight	G.W.: 2.8kgs	N.W.: 2.2kgs
Loading Quantity	20GP: 900units	40HQ: 2200units
Remark		



12" Aluminum Alloy



12" Aluminum Alloy



Aluminum alloy handle bar+TPR Grip



Bearing



ECO Friend PU With Cushion Pad



PP




Digital Control axis + Carbon steel hub



EVA Tire

Optional Color



1233L



Way of packing	65% SKD	
Carton Size	60*17*38 cm	
Weight	G.W.: 3.9kgs	N.W.: 3.2kgs
Loading Quantity	20GP: 720units	40HQ: 1800units
Remark		



12" Aluminum Alloy



12" Aluminum Alloy



Aluminum alloy handle bar



Bearing



ECO Friend PU
With Cushion Pad



Aluminum Alloy



Digital Control axis
+Carbon steel hub



Air Tire wheel

Optional Color



1234L



Way of packing	65% SKD	
Carton Size	60*17*38 cm	
Weight	G.W.: 3.9kgs	N.W.: 3.2kgs
Loading Quantity	20GP: 720units	40HQ: 1800units
Remark		



12" Aluminum Alloy



12" Aluminum Alloy



Aluminum alloy handle bar



Bearing



ECO Friend PU
With Cushion Pad



Aluminum Alloy



Digital Control axis
+Carbon steel hub



Air Tire wheel

Optional Color



1203L



-  Competition-grade aluminum alloy
-  Competition-grade aluminum alloy
-  Aluminum alloy handle bar
-  Bearing
-  ECO Friend PU With Cushion Pad
-  Aluminum Alloy
-  Sealed-bearing
-  CST Air tire

Way of packing	95% CKD	
Carton Size	88*14*50 cm	
Weight	G.W.: 4.3kgs	N.W.: 3.4kgs
Loading Quantity	20GP: 470units	40HQ: 1120units
Remark		

Optional Color



YH-B1



-  Aluminum Alloy
-  Aluminum Alloy
-  Aluminum alloy handle bar
-  Bearing
-  ECO Friend PU With Cushion Pad
-  Aluminum Alloy
-  Digital Control axis +Carbon steel hub
-  Air Tire wheel

Way of packing	95% SKD	
Carton Size	59*15.5*25 cm	
Weight	G.W.: 3.0kgs	N.W.: 2.6kgs
Loading Quantity	20GP: 1260units	40HQ: 2970units
Remark		

Optional Color



1209



Way of packing	65% SKD(fork assembled)	
Carton Size	60*17*39cm	
Weight	G.W.: 4.8kgs	N.W.: 4.2kgs
Loading Quantity	20GP: 700units	40HQ: 1700units
Remark		

- 12" Carbon steel
- 12" Carbon steel
- Googseneck handle bar +PU leather Grip
- Carbon steel with steel balls
- ECO Friend PU With Cushion Pad
- Aluminum Alloy
- Digital Control axis +Carbon steel hub
- Air TIRE

Optional Color



1211



Way of packing	85% SKD(fork assembled)	
Carton Size	72*17*48cm	
Weight	G.W.: 6kgs	N.W.: 5.5kgs
Loading Quantity	20GP: 500units	40HQ: 1200units
Remark		

- 12" Carbon steel
- 12" Carbon steel
- Aluminum alloy handle bar+PU leather Grip
- Carbon steel with steel balls
- ECO Friend PU With Cushion Pad
- Aluminum Alloy
- Digital Control axis + Carbon steel hub
- Air Tire wheel

Optional Color



1261



-  12" Carbon steel
-  ECO Friend PU With Cushion Pad
-  12" Carbon steel
-  PP
-  Carbon steel T-type handle bar
-  Flashing hub
-  PP
-  Air TIRE



Way of packing	65% SKD(fork assembled)	
Carton Size	60*16*30cm	
Weight	G.W.: 4.1kgs	N.W.: 3.8kgs
Loading Quantity	20GP: 1000units	40HQ: 2400units
Remark		

1214



-  12" Carbon steel
-  ECO Friend PU With Cushion Pad
-  12" Carbon steel
-  PP
-  Googseneck handle bar +PU leather Grip
-  Digital Control axis + Sealed bearing
-  Carbon steel with steel balls
-  EVA Tire

Way of packing	100% CKD	
Carton Size	59*16*30cm	
Weight	G.W.: 3.3kgs	N.W.: 2.8kgs
Loading Quantity	20GP: 1000units	40HQ: 2400units
Remark		

Optional Color



1201



Way of packing	100% CKD	
Carton Size	59*16*30cm	
Weight	G.W.: 3.2kgs	N.W.: 2.8kgs
Loading Quantity	20GP: 1000units	40HQ: 2400units
Remark		

- 12" Carbon steel
- 12" Carbon steel
- Carbon steel +ECO Friend TPR
- PP
- ECO Friend PU With Cushion Pad
- PP
- Digital Control axis + Sealed bearing
- EVA Tire

Optional Color



1203



Way of packing	100% CKD	
Carton Size	59*16*30cm	
Weight	G.W.: 3.4kgs	N.W.: 2.85kgs
Loading Quantity	20GP: 1000units	40HQ: 2400units
Remark		

- 12" Carbon steel
- 12" Carbon steel
- Googseneck handle bar +ECO Friend TPR
- Carbon steel with steel balls
- ECO Friend PU With Cushion Pad
- PP
- Digital Control axis + Sealed bearing
- EVA Tire

Optional Color



1208T



Way of packing	65% SKD(fork assembled)	
Carton Size	60*17*36cm	
Weight	G.W.: 4.7kgs	N.W.: 4.1kgs
Loading Quantity	20GP: 800units	40HQ: 1900units
Remark		



12" Carbon steel



12" Carbon steel



Gooseneck handle bar
+ECO Friend TPR



Carbon steel with steel balls



ECO Friend PU
With Cushion Pad



PP



Digital Control axis
+ Sealed bearing



Air Tire wheel

Optional Color



PH-09



Way of packing	95% SKD	
Carton Size	93*18*49cm	
Weight	G.W.: 8.8kgs	N.W.: 7.4kgs
Loading Quantity	20GP: 340units	40HQ: 800units
Remark		



12"/14"/16"Carbon steel



12"/14"/16" Carbon steel



Carbon Steel



Bearing



ECO Friend PU
With Cushion Pad



Nylon



Aluminium Alloy Hub



12"/14"/16" Air Tire wheel

Optional Color



MT-5158



-  12"/14" Carbon steel
-  ECO Friend PU With Cushion Pad
-  12"/14" Carbon steel
-  iron
-  Carbon Steel
-  iron
-  Carbon steel with steel balls
-  Air Tire wheel

Way of packing	95% SKD(fork assembled)	
Carton Size	88*13*52.5cm	
Weight	G.W.: 4.95kgs	N.W.: 3.55kgs
Loading Quantity	20GP: 482units	40HQ: 1148units
Remark		

Optional Color



1263



-  10" Carbon steel
-  ECO Friend PU With Cushion Pad
-  10" Carbon steel
-  PP
-  Googseneck handle bar +ECO Friend TPR
-  Steel axis
-  PP
-  EVA Tire

Way of packing	100% CKD	
Carton Size	60*16*30cm	
Weight	G.W.: 3.4kgs	N.W.: 2.8kgs
Loading Quantity	20GP: 1000units	40HQ: 2400units
Remark		

Optional Color



1003



Way of packing	65% SKD	
Carton Size	49*19.5*21.5cm	
Weight	G.W.: 2.2kgs	N.W.: 1.8kgs
Loading Quantity	20GP: 1400units	40HQ: 3400units
Remark		



Carbon steel



Carbon steel



Carbon steel +ECO
Friend TPR



PP



ECO Friend PU
With Cushion Pad



PP



Steel axis



EVA Tire

Optional Color



1006



Way of packing	65% SKD	
Carton Size	49*19.5*21.5cm	
Weight	G.W.: 2.2kgs	N.W.: 1.8kgs
Loading Quantity	20GP: 1400units	40HQ: 3400units
Remark		



Carbon steel



Carbon steel



Carbon steel +ECO
Friend TPR



PP



ECO Friend PU
With Cushion Pad



PP



Steel axis



EVA Tire

Optional Color



HM-518



Carbon steel



Carbon steel



Carbon steel



PP



ECO Friend PU
With Cushion Pad



PP



Steel axis



EVA Tire

Way of packing	65% SKD	
Carton Size	43*18*27cm	
Weight	G.W.: 2.8kgs	N.W.: 2.3kgs
Loading Quantity	20GP: 1387units	40HQ: 3301units
Remark		



YH-HL01



Aluminum



Aluminum



Oak handle bar



PP



ECO Friend PU
With Cushion Pad



PP




Steel axis



PU Tire

Way of packing	95% SKD	
Carton Size	56*22.5*37.5 cm	
Weight	G.W.: 4.4kgs	N.W.: 3.0kgs
Loading Quantity	20GP: 613units	40HQ: 1460units
Remark		



YH-SC1



Way of packing	1Units/Carton	
Carton Size	70*19*35cm	
Weight	G.W.: 4.3kgs	N.W.: 3.3kgs
Loading Quantity	20GP: 600units	40HQ: 1440units
Remark		



Brake design



Reinforced Body



Extra wear wheel



Arbitrary height adjustment



Sensitive and convenient steering



Light and easy to carry

Optional Color



KMQ609



Size of out carton	69x57x67cm, 6 units/carton	
Inner box	68x18x32cm	
Weight	G.W.: 4.3kgs	N.W.: 3.8kgs
Loading Quantity	20GP: 652units	40HQ: 1569units
Remark		



Hand/foot brake
Double brake design



Double reinforced body



Extra wear wheel



Arbitrary height adjustment



Sensitive and convenient steering



Light and easy to carry

Optional Color



XSD-014



Way of packing	100% CKD	
Carton Size	55*22*37cm	
Weight	G.W.: 3.2kgs	N.W.: 2.65kgs
Loading Quantity	20GP: 600units	40HQ: 1500units
Remark		



Carbon steel



Carbon steel



Carbon Steel



Carbon steel with steel balls



PP



PP



Carbon Steel Hub



EVA Tire

Optional Color



XSD-015



Way of packing	100% CKD	
Carton Size	59*29*39cm	
Weight	G.W.: 5kgs	N.W.: 4.3kgs
Loading Quantity	20GP: 400units	40HQ: 1000units
Remark		



Carbon steel



Carbon steel



Carbon Steel



Carbon steel with steel balls



PP



PP



Carbon Steel Hub



EVA Tire

Optional Color



SR-318



Way of packing	100% CKD	
Carton Size	50*35*32cm	
Weight	G.W.: 5kgs	N.W.: 4kgs
Loading Quantity	20GP: 500units	40HQ: 1220units
Remark		



Carbon steel



Leather cushion



Carbon steel



PP



Carbon Steel



Carbon Steel Hub



Carbon steel with steel balls



EVA Tire

Optional Color



HLF-6200



Way of packing	1 Units/Carton	
Carton Size	61*32*41cm	
Weight	G.W.: 11.4kgs	N.W.: 10.2kgs
Loading Quantity	20GP: 362units	40HQ: 862units
Remark		



Carbon steel



PP



Carbon steel



PP



Carbon Steel



Carbon Steel Hub



Carbon steel with steel balls



EVA Tire

Optional Color



HLF-515S-3T



Carbon steel



Leather cushion



Carbon steel



PP



Carbon Steel



Carbon Steel Hub



Carbon steel with steel balls



EVA Tire

Way of packing	1 Units/Carton	
Carton Size	55*20*35cm	
Weight	G.W.: 5.9kgs	N.W.: 5.3kgs
Loading Quantity	20GP: 753units	40HQ: 1795units
Remark		

Optional Color



HLF-903S



Carbon steel



PP



Carbon steel



PP



Carbon Steel



Carbon Steel Hub



Carbon steel with steel balls



PU Tire

Way of packing	1 Units/Carton	
Carton Size	54*35*36cm	
Weight	G.W.: 10kgs	N.W.: 9kgs
Loading Quantity	20GP: 426units	40HQ: 1015units
Remark		

Optional Color



HLF-6018



Way of packing	1 Units/Carton	
Carton Size	61*32*41cm	
Weight	G.W.: 9.5kgs	N.W.: 8.5kgs
Loading Quantity	20GP: 362units	40HQ: 860units
Remark		



Carbon steel



Leather cushion



Carbon steel



PP



Carbon Steel



Carbon Steel Hub



Carbon steel with steel balls



PU Tire



HLF-S801



Way of packing	1 Units/Carton	
Carton Size	50*40*38cm	
Weight	G.W.: 11kgs	N.W.: 9.6kgs
Loading Quantity	20GP: 381units	40HQ: 907units
Remark		



Carbon steel



PP



Carbon steel



PP



Carbon Steel



Carbon Steel Hub



Carbon steel with steel balls



EVA Tire



HLF-6202



Way of packing	1 Units/Carton	
Carton Size	61*32*43cm	
Weight	G.W.: 12.3kgs	N.W.: 11.2kgs
Loading Quantity	20GP: 345units	40HQ: 822units
Remark		



Carbon steel



Leather cushion



Carbon steel



PP



Carbon Steel



Carbon Steel Hub



Carbon steel with steel balls



PU Tire

Optional Color



HLF-M9



Way of packing	1 Units/Carton	
Carton Size	65*34*35cm	
Weight	G.W.: 8.9kgs	N.W.: 7.9kgs
Loading Quantity	20GP: 374units	40HQ: 891units
Remark		



Carbon steel



PP



Carbon steel



PP



Carbon Steel



Carbon Steel Hub



Carbon steel with steel balls



EVA Tire

Optional Color



HLF-PC900M



Stroller

Way of packing	1 Units/Carton	
Carton Size	53*34*80.5cm	
Weight	G.W.: 13kgs	N.W.: 11kgs
Loading Quantity	20GP: 200units	40HQ: 475units
Remark		



Carbon steel



Leather cushion



Carbon steel



PP



Carbon Steel



Carbon Steel Hub



Carbon steel with steel balls



PU Tire



Optional Color

Stroller Sleeping Basket

Way of packing	1 Units/Carton	
Carton Size	53*54*88cm	
Weight	G.W.: 19.4kgs	N.W.: 17.3kgs
Loading Quantity	20GP: 115units	40HQ: 274units
Remark		

Stroller Car Seat

Way of packing	1 Units/Carton	
Carton Size	54*54*89cm	
Weight	G.W.: 23.8kgs	N.W.: 21.3kgs
Loading Quantity	20GP: 111units	40HQ: 267units
Remark		

 www.sparklerides.com

 Add : R1423, Orient Victory, Plaza NO.508
Zhongshan Road, Changan District,
Shijiazhuang City, Hebei Province, China

 Tel : +86-311-85698168

 Email : admin@sparklerides.com

